



# QuietPivot™

PIVOT DOOR SERIES



## APPLICATIONS


- Theaters
- Performing Arts Centers
- Auditoriums
- TV and Music Productions Studios
- Concert Halls
- Museums
- Convention Centers
- Schools
- Edit Suites
- Modular Recording Studios and Voice-Over Rooms

## PIVOT DOOR SERIES

DOUBLE MAGNETIC  
SEALS AT HEAD  
AND JAMS



SMOOTH  
ROTATING  
PIVOT BLOCK





## FEATURES:

- Center Pivot, low friction, Door panel movement
- Endless positions for doors “open positions”
- One or all door panels can be operational as desired
- Double Magnetic seal system
- Mortised Bottom seals
- Split frame design for jambs and header
- Typically fixed handle system can be utilized
- Millwork and veneering are available
- Ease of operation conforms to ADA

# ACOUSTICAL PERFORMANCE DATA

## SOUND TRANSMISSION LOSS DATA, dB

1/3 Octave Band Center Frequency, Hz	100	125	160	200	250	315	400	500	630	800	1K	1.25K	1.6K	2K	2.5K	3.15K	4K	5K	STC
QS-45	32	31	32	33	34	36	40	42	45	47	48	48	49	50	50	47	47	48	<b>45</b>

All tests performed by an independent NVLAP accredited acoustical testing facility. The test method conforms with ASTM Designations E90-02 and E413-87.

SEE OUR PIVOT DOORS IN ACTION



NOISE BARRIERS.



A CATALYST ACOUSTICS GROUP COMPANY

www.noisebarriers.com | 100 S. Saunders Rd, Suite 140, Lake Forest, IL 60045 | (847) 843-0500