

QuietSwing Sound Control Doors

Door Hardware - EPT



EPT

Electrical Power Transfer Concealed, Tamper Resistant, Flexible Power and Data Transfer

The EPT Electric Power Transfer provides concealed, secure power and data conduit between a frame and door, transmitting power to electrified locks, exit bars and more. Its durable stamped steel housing and flexible spring steel conduit make the EPT suitable for most types of swinging doors with butt or continuous hinges or pivot hinges up to 3/4" offset. The EPT-SC accommodates swing-clear hinges and most pivot hinges.*

PRODUCT FEATURES

- Installs in the door and frame edges
- Flexible steel shield protects wire bundles up to 5/16" thick
- Works with almost any type butt hinge, continuous hinges and some pivot hinges
- Rounded mounting tabs

PRODUCT SPECIFICATIONS

- UL10C Listed
- CAN4-S104 Listed
- UL 634 Listed (EL-EPT/EL-EPTL)
- ULC/ORD-C634 (EL-EPT/EL-EPTL)
- ANSI/SDI-BHMA A250.13 (+/- 60 PSF)
Windstorm Listed

Dimensions:

EPTL Housing

21-3/8"L x 7/8"W x 11/16"D


Interior flex shield

3/8"[9.5mm]

Finishes:

US26/625—Bright Chrome Plated

* *Not for use with center pivot doors*



NOISE BARRIERS, LLC.

www.noisebarriers.com

2001 Kelley Court • Libertyville, IL 60048
Phone: (847) 843-0500 • Fax: (847) 843-0501